

envaplas.

PROFESSIONAL LANDSCAPE SOLUTIONS

WE CREATE THE BOUNDARIES OF THE LANDSCAPE.



- Practical Application
- High Strength
- Long-lasting structure.

Aesthetic Touches Shaping the Future

Envaplas redefines the intersection of aesthetics and durability in landscape architecture. By merging Turkey's domestic manufacturing power with cutting-edge technology, we deliver professional solutions that transform outdoor environments. From our state-of-the-art production facility, we utilize world-class, high-performance raw materials engineered to withstand the most demanding climates.

Our Vision: Innovation Meets Engineering

We don't just follow industry standards; we set them. At our dedicated R&D Center, we analyze global trends to design the future of landscaping. Our modular LAWN EDGING systems represent more than just a boundary—they provide a canvas for creative freedom, empowering both professional installers and homeowners to achieve flawless designs.

By placing technology at the core of our process, we harmonize form, light, and natural textures. Our commitment to sustainable ground management ensures that every project we touch gains long-term value through ease of application and structural longevity.

Uncompromising Quality: The Science of Durability

We understand that outdoor spaces are a long-term investment. That is why our products feature specialized UV-stabilized formulas specifically engineered to prevent fading and structural degradation under intense sunlight.

Our flexible engineering allows for seamless application in even the most complex projects, from residential hobby gardens to massive public infrastructure and urban walkways. We are more than a manufacturer; we are your Technical Solution Partner.

Global Vision, Local Power

Envaplas is taking its success in Turkey to the global stage. By maintaining a strong presence at major international trade fairs in strategic hubs like Germany and France, we showcase the excellence of Turkish engineering to the world. Driven by our core values of quality and aesthetics, we are proud to leave the Envaplas signature on gardens and cities across the globe.



OUR CERTIFICATIONS

INTERNATIONAL FIRST CERTIFICATION



INTERNATIONAL FIRST CERTIFICATION

SERTİFİKA

Envaplas Plastik Makina İmalat Hırdavat Nakliye İthalat İhracat Enerji Sanayi ve Ticaret Limited Şirketi

Sanayiosb Mah. Eosb 45 Sk. No: 8 İç Kapı No: 1 Yazikonak Köyü Merkez, Elazığ

IFC Global Sertifikasyon, yukarıda adı geçen kuruluşun yönetimi sisteminin degerlendirildiğini ve aşağıdaki standardin gerekliliklerine uygun olduğunu teyit eder.

Standard:

ISO 10002:2018

Kapsam:

Plastikten (plastik esnek çim sınırlayıcı, plastik sert düz çim sınırlayıcı, led ışık çim sınırlayıcı, çim tutucu izgara) ve metal çim sınırlayıcı, bahçe, peyzaj ürünleri imalatı

İlk Yayın Tarihi : 20.02.2023
Yayın Tarihi : 20.02.2023
Sertifika Geçerlilik Tarihi : 19.02.2024
Sertifika Bitiş Tarihi : 19.02.2026
Sertifika No : IFC-02-23-10846



IFC GLOBAL TEKNİK KONTROL SERTİFİKASYON ANONİM ŞİRKETİ
Adres Mah. 2132/2 Sk. No: 3 İç Kapı No: 28 Bayraklı, İzmir, TÜRKİYE T: +90 850 304 45 00
www.ifcglobal.com.tr info@ifcglobal.com.tr

INTERNATIONAL FIRST CERTIFICATION



INTERNATIONAL FIRST CERTIFICATION

CERTIFICATE

Envaplas Plastik Makina İmalat Hırdavat Nakliye İthalat İhracat Enerji Sanayi ve Ticaret Limited Şirketi

Sanayiosb Mah. Eosb 45 Sk. No: 8 İç Kapı No: 1 Yazikonak Köyü Merkez, Elazığ

IFC Global Certification confirms that the above-named organization's management system has been assessed and complies with the requirements of the following standard.

Standard:

ISO 10002:2018

Scope:

Manufacturing sale of plastic (plastic flexible grass limiter, plastic strict flat grass limiter, led light grass limiter, grass follower grill) and metal grass limiters, garden, landscape products

Initial Date : 20.02.2023
Issue Date : 20.02.2023
Date of Validity : 19.02.2024
Expiry Date : 19.02.2026
Certificate No : IFC-02-23-10846



CERTIFICATE

ENVAPLAS PLASTİK MAKINA İMALAT HİRDAVAT NAKLİYE İTHALAT İHRACAT ENERJİ SANAYİ VE TİCARET ANONİM ŞİRKETİ

SANAYİOSB MAH. EOSB 45. SOK. NO:8 İÇ KAPı NO:1
YAZIKONAK KÖYÜ / MERKEZ / ELAZİG / TÜRKİYE

Has been assessed and found to comply with the requirements of:
Denetlenmiş ve aşağıdaki standardin gerekliliklerine uygunluğunu görülmüştür:

ISO 9001:2015

The Quality Management System is applicable to:
Kalite Yönetim Sistemi:

MANUFACTURE OF GARDEN AND LANDSCAPING PRODUCTS FROM PLASTIC (PLASTIC FLEXIBLE GRASS LIMITER, PLASTIC HARD FLAT GRASS LIMITER, LED LIGHT GRASS LIMITER, GRASS CATCHER GRILL) AND METAL GRASS LIMITER

PLASTİKten (PLASTİK ESNEK ÇİM SINIRLAYICI, PLASTİK SERT DÜZ ÇİM SINIRLAYICI, LED IŞIK ÇİM SINIRLAYICI, ÇİM TUTUCU İZGARA) VE METAL ÇİM SINIRLAYICI, BAĞAÇ, PEYZAJ ÜRÜNLERİ İMALATI

Certificate Number: QMS-000606

Belge Numarası: QMS-000606

Initial Certification Date: 29.02.2025

İlk Belgelendirme Tarihi: 29.02.2025

Certificate Validity Date: 28.02.2026

Belge Geçerlilik Tarihi: 28.02.2026



IAS
ACCREDITED
Management Systems
Certification Body
MSCB-135

IQR Sertifikasyon Onaylı

IQR ULUSLARARASI BELGELENDİRME HİZMETLERİ LTD.ŞTİ.
Beşevler Mah. Kocayunus Sk. No:3 Arslan Han Plaza K2 Nilüfer / BURSA
Tel: +90.224.266.00.16 Faks: +90.224.249.41.13 www.iqrert.com e-posta: info@iqrert.com



NANOLAB LABORATUVAR HİZMETLERİ
Kıyma Gıda Danışmanlık Çevre Eğitim San. ve Tic. Ltd. Şti.
Adres: Kalkıveç Mah. Çankaya Cad. Vadi İş Merkezi Kat:23
Tel & Faks: +90 212 855 48 10 • +90 212 855 48 33

TEST REPORT

ASTM D4329-21 - Standard Practice for Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics

Report No / Date / Rev.No	: T24-UV-0001 / 2.03.2020 / 00_First Report ENVAPLAS PLASTİK
Customer's Name	: MAK.İML.HİRD.NAK.İTH.HİR.ENUSAN.VE TİCLTD.ŞTİ. Sanayi OSB mah. Eosb 45 Sok. No:8 ELAZİG ASTM D4329-21 Standard Practice for
Customer's Address	: Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics
Standard Applied in Test	: 18.3.2024-22.03.2024 5 Page / 2 Annex Strong Green plastic grass limiter
Date of Experiment	: No:1, Strong Black plastic grass limiter No:2, Neon led pluggable
Number of Pages of the Report	: white plastic grass limiter No:3, Neon led pluggable green plastic grass limiter No:4, Flexible black plastic grass limiter No:5, Flexible black plastic grass limiter No:6, Flexible green plastic grass limiter No:7, Flexible white plastic grass limiter No:8 PVC —
Name and Description of Samples	
Description of the Material to be Tested	
Descriptions	

1. GENERAL INFORMATION

The ability of a plastic material to resist deterioration caused by exposure to light, heat, and water is a property of significance in many applications. This practice is intended to induce property changes associated with end-use conditions, including the effects of ultraviolet solar irradiance, moisture, and heat. The exposure used in this practice is not intended to simulate the deterioration caused by localized weather phenomena, such as, atmospheric pollution, biological attack, and saltwater exposure.

2. SCOPE

This practice covers specific procedures and test conditions that are applicable for using a fluorescent UV lamp and water apparatus exposure of plastics.

Seal	Authorized Signatory
	Ahmet İnanç ŞIK Çevre-Tekniki Laboratuvar Müdürü

This report cannot be partially copied or reproduced without the written permission of the laboratory. Unsigned and sealed reports are invalid. Measurement results are only related to the process conditions at the time of measurement and the tested sample. No part of the report may be used alone or separately. Since it was not requested, the decision rule was not applied. The valid period for objections to the results given in the report is 15 days from the date of the report.

Doc No: PR-172-07-03c1 Rel. Date: 26.01.2015

Rev. Date/No: 01.09.2015 / 01

OUR PRODUCTION CENTER



APPLICATION EXAMPLES



1

The Right Choice: Select the Envaplas LAWN EDGING product with the ideal color and height for your project.



2

Preparation and Design: Determine the application area; easily give any curved form you desire thanks to its flexible structure.



3

Practical Installation: Place the product on the ground and easily secure it with specialized plastic fixing stakes.



4

Perfect Result: Add an aesthetic touch to your landscape by defining the separation of plants, soil, and stones with sharp lines.





Strong Logistics: Products reach your project site undamaged and complete with our durable packaging system.

1



Fast Installation: Quickly assemble modular pieces on levelled ground using the interlocking system.

2



High Load-Bearing Capacity: Create a stabilized, non-shifting surface across large areas thanks to the interlocking system.

3



Functional Areas: Create parking lots, walkways, or social areas by planting grass or using gravel.

4



RETAIL SIZE LAWN EDGING

ABOUT US

- Superior Flexibility: Easily create your dream garden lines without breaking, even in the tightest curves and circular forms.
- Full Stabilization: Prevents shifting by locking perfectly to the ground with its special tab structure and stake system.
- UV Resistant Polymer: Maintains its color and form for a long time by resisting harsh weather conditions and harmful sun rays.
- With its 10-meter lightweight and compact roll design, it provides effortless and fast application for hobby gardens and all users.



AVAILABLE COLORS



Technical Specifications

Package Content	1 Roll (10m) + Fixing Stakes
Height	7.5 CM
Length	10 M
Quantity Per Pallet	1530 M / 153 Pieces
Stake Length	15 CM

STRAIGHT LAWN EDGING



ABOUT US

- High-Strength PVC: Provides maximum durability against outdoor conditions, sun rays (UV), and impacts thanks to its specially formulated PVC structure.
- Flawless Linear Lines: Its rigid and non-flexible body structure allows you to create perfectly straight and sharp lines even over long distances without any deviation.
- Precision Cutting, Perfect Flatness: Optimized in 2.5-meter lengths from its flexible form, this series offers a flawless application in linear lines. Thanks to its high-strength structure, it is ideal for projects requiring ground stabilization and heavy-load resistance.
- Maximum Ground Grip: Maintains its form for years by locking perfectly to the ground thanks to its tabbed structure under the soil and special 15 cm stakes.



AVAILABLE COLORS



Technical Specifications

Package Content	1 Pack (50m) + Fixing Stakes
Height	7.5 cm
Length	2.5 M / 20 Pieces
Stake Length	15 CM

FLEXIBLE LAWN EDGING

THE CHOICE OF PROFESSIONALS



ABOUT US

- Unlimited Flexibility: A structure that provides total freedom in landscaping design, ensuring non-breaking performance even in the tightest curves and circular lines.
- Seamless Application: The 25-meter continuous roll form minimizes joint connections, delivering a flawless visual appeal.
- High Durability: Specially formulated raw material that maintains dimensional stability against sun rays (UV) and seasonal temperature fluctuations.
- Stable and Secure Installation: Grips the ground perfectly through its special tabbed base structure and fixing stakes, ensuring the borders remain secure.



AVAILABLE COLORS



Technical Specifications:

Package Content:	1 Roll (25m) +Fixing Stakes
Height	7.5 CM
Length	25 M
Quantity Per Pallet:	1500 M / 60 Pieces
Stake Length	15 CM
Weight	25 MT ± 9 KG

LED-COMPATIBLE FLEXIBLE & STRAIGHT LAWN EDGING

ABOUT US

- Top-Loading Open Channel Design: A practical design that allows neon LED strips to be placed directly into the top channel without the need for any adapters, providing maximum ease during installation and maintenance.
- Body Form Options: Available in a highly flexible "Flexible Form" for circular lines and a high-strength "Strong (Straight) Form" for uninterrupted linear paths, to perfectly match your project's geometry.
- Precision Channel Geometry: The channel structure ensures that the top-mounted neon LED strip fits perfectly into its housing, preserving the light line's form and offering stable illumination even in outdoor conditions.



AVAILABLE COLORS



Technical Specifications:	FLEXIBLE	STRAIGHT
Package Content	1 Roll (25m) + Fixing Stakes	1 Package (50m) + Fixing Stakes
Height	7,5 CM	7,5 CM
Length	25M (Single Piece)	2.5m (20 pcs)
Stake Length	15 CM	15 CM
In-Channel Width	9 MM	9 MM

STRONG LAWN EDGING

ABOUT US

- Rigid Body and Maximum Stability: Developed for formal landscaping projects, its thick-walled rigid structure maintains its shape even under high soil pressure and provides flawless straight lines across long distances.
- Modular Adapter System: Specially designed T, 90°, and 180° connectors ensure mechanical integrity without leaving gaps at the joints, increasing application speed by 40%.
- Maximum Resistance Technology: The UV-stabilized high-performance polymer structure protects the product against impact and wear. Its non-deforming rigid structure offers lifetime guaranteed durability against color fading and cracking.



AVAILABLE COLORS





Technical Specifications

Package Content	1 Pack (50m) + Fixing Stakes + Adapters
Height	7,5 CM
Length (Per Piece)	2,5 M / 20 Pieces
Connection Type	Modular Adapter System
Quantity Per Pallet	2400 M

ADAPTER

MODULAR CONNECTION SOLUTIONS
FOR THE STRONG SERIES




T-ADAPTER

Ensures a seamless and robust transition at points where three separate lines meet. It is ideal for side paths and partition divisions.


90° ADAPTER

Enables the creation of perfect right-angled, aesthetic, and sharp turns in garden corners.



CROSS CONNECTOR


Acts as a central hub at four-way intersections, ensuring that all lines are perfectly interlocked.





120° ADAPTER

Specially designed for creating wide-angle turns and various geometric patterns, such as hexagonal forms.



180° ADAPTER

Linearly joins two units, concealing the joints to ensure the line extends in a perfectly straight path.




END ADAPTER

Aesthetically finishes the terminal points of the application, preventing soil or foreign debris from entering the product interior.

LED-COMPATIBLE TRANSPARENT LAWN EDGING

ABOUT US

- Closed Channel and Homogeneous Light Distribution: The closed-top channel design protects the LED strip from external factors while acting as a diffuser, ensuring that the light spreads as a continuous "neon-like" homogeneous line instead of visible individual dots.
- Body Form Options: Available in two variations to suit project geometry: high-flexibility "Flexible Form" for circular and curved lines, and high-strength "Straight (Strong) Form" for long and sharp linear lines.
- Superior Light Transmittance: Thanks to the UV-stabilized engineering polymer, it does not yellow over time; it maintains maximum light transmission performance for years.
- IP Protection Support and Safety: The closed-top channel structure physically isolates the LED components from water splashes and dust accumulation, extending the lifespan of the lighting system and minimizing short-circuit risks.



Technical Specifications

Package Content	1 Roll (20m) + Fixing Stakes
Height	7,5 CM
Roll Length Options	10 M / 20 M / 25M
Stake Length	15 CM
In-Channel Width	18 MM Width / 15 MM Height

P TYPE LAWN EDGING

ABOUT US

- LED Compatible: Features a 2.1 cm wide channel designed for seamless strip LED integration and easy installation.
- Dual-Form Design: Offers the versatility to create both sharp, straight lines and flexible, organic curves using the same product.
- Stake-Free Installation: Its specialized body structure allows for direct burial and self-stabilization, eliminating the need for additional fixing stakes.
- Fast and Stable: The deep-set underground profile ensures superior structural stability and a rapid mounting process.
- High Durability: Engineered with a 2 mm wall thickness and a UV-stabilized body to provide maximum resistance against harsh outdoor elements.
- Time-Efficient Setup: Single-piece lengths of 250 cm enable faster coverage and significant time savings in large-scale landscape projects.



Technical Specifications

In-Channel Width	21 MM
Height	11.5 CM
Unit Length	250 CM
Package Content	10 Pieces / 25 M

AVAILABLE COLORS



LED-READY GALVANIZED EDGING



ABOUT US

- Industrial Elegance: A premium choice for luxury projects, offering a perfect harmony of high-quality galvanized steel and modern lighting.
- Maximum Corrosion Resistance: The lifetime rust-resistant galvanized structure retains its form even in the harshest outdoor and humid conditions.
- Sharp and Clear Lines: Leveraging the rigidity of metal, it creates the smoothest separation between concrete and grass while providing night-time lighting comfort.
- Prestigious Lighting: Enhances the brand value of any space by combining metallic textures with light for a modern architectural finish.



Technical Specifications

Package Content

40 Meters per Pack + Connection Adapters

Height

7,5 CM

Unit Length


2 M

STRAIGHT GALVANIZED SERIES



ABOUT US

- High-Quality Galvanized Steel: Provides superior resistance to rust and corrosion, maintaining its form and durability for decades, even in the harshest outdoor environments.
- Sharp and Clear Linear Lines: The natural rigidity of the metal ensures perfectly straight, deviation-free transitions between asphalt/grass or concrete/soil.
- Industrial-Grade Strength: Offers maximum structural resilience against garden maintenance equipment and environmental impacts, thanks to the high resistance of steel.



Technical Specifications

Package Content

40 Meters per Pack + Connection Adapters

Height

7,5 CM

Unit Length

2 M




FLEXIBLE GALVANIZED



ABOUT US

- Curved Design with Metal Strength: Combines the durability of metal with high flexibility through its special alloy, creating professional circular and undulating lines in landscapes.
- Minimalist and Aesthetic Appearance: Its slim profile creates an elegant, subtle boundary that defines the separation between soil and grass without disrupting the landscape's natural beauty.
- Easy Connection and Continuity: The interlocking end structure and pre-drilled mounting holes ensure a seamless visual flow and structural integrity at every joint.
- Long-Lasting and Sustainable: Unaffected by UV rays or extreme temperature fluctuations, it stands as the most reliable, eco-friendly solution for prestigious projects.



Technical Specifications

Package Content

20 Pieces per Pack (40 Meters Total) + Connection Adapters

Height

7,5 CM

Unit Length

2 M

LAWN AND GRAVEL RETAINING GRID



ABOUT US

- Ground Stabilization: 100% eliminates wheel ruts, sinking, and deformation in grass areas.
- High Load-Bearing Capacity: Features a honeycomb structure that distributes weight evenly, making it perfectly suitable for vehicle traffic.
- Healthy Grass: Its cellular structure prevents root compaction and ensures optimal aeration for the grass.
- Drainage Support: Allows natural water penetration into the soil, preventing water puddles and surface pooling.




AVAILABLE COLORS




Technical Specifications

Height	4 CM
Dimensions	50 *50 CM / 1 Piece
Quantity per Pallet	280 Pieces / 70 Sqm



WOOD LOOK EDGING



ABOUT US

- UV Protection Technology: Thanks to its special formula with UV stabilizers, it maintains its color even under direct sunlight, staying aesthetic for years without cracking or loss of form.
- Corrosion and Biological Resistance: Advanced plastic technology ensures the product is unaffected by moisture both above and below ground; it provides lifetime protection against biological corrosion such as rotting, insect damage, or fungal growth.
- Rigid and Stable Design: The spiked foot structure, driven into the soil, ensures perfect integration with the ground, maintaining its dimensional stability and upright stance even during seasonal temperature changes.
- Integrated Interlock Connection System: Its modular, interlocking structure eliminates the need for extra connectors, allowing for the creation of seamless lines and optimizing application time.



AVAILABLE COLORS



Technical Specifications:

Module Width:	235 MM
Total Height:	255 MM
Package Content:	8 Pieces / 1.90 M
Connection Type:	Integrated Interlock System
Raw Material:	Impact-Resistant, UV-Stabilized Polymer

BRICK-LOOK DECORATIVE BORDER

ABOUT US

- Realistic Texture Aesthetics: Blends the classic look and texture of real bricks with the lightweight durability of polymer, adding a rustic charm to your garden landscape.
- Maintenance-Free Durability: Unlike traditional bricks, it won't crumble, crack, or grow moss over time; it eliminates the need for painting and ongoing maintenance costs.
- Integrated Ground Stakes: The robust stake system built into the product ensures superior ground stability and prevents the edging from shifting or losing its alignment over time.
- Versatile Cornering and Connection: Its modular joints allow for perfect 90-degree corners and smooth transitions in slightly curved areas, providing a professional and aesthetic finish.



AVAILABLE COLORS




Technical Specifications

Height	20 CM
Length	43 CM
Stake Length	13 CM

TULIP PATTERNED SERIES LAWN EDGING

ABOUT US

- Aesthetic and Thematic Design: Traditional tulip motifs add an elegant touch to your garden, providing a stylish frame for flower beds and walkways.
- UV and Color Protection: Its high-quality polymer structure offers full resistance against sun rays, preserving its color and texture for years, just like the first day.
- Easy Interlocking System: Thanks to its interlocking modular structure, it creates stable and uniform lines within minutes without requiring professional assistance.



Technical Specifications

Package Content

11 Pieces / 1 M

Height

25,5 CM

Unit Length

9 CM

AVAILABLE COLORS




JUTE GROUND COVER



ABOUT US

- Weed Control: Completely inhibits the growth of unwanted weeds emerging from beneath the soil.
- Soil Health: Supports plant development by retaining soil moisture and preventing erosion.
- Breathable Structure: Preserves the soil's biological integrity through its high air and water permeability.
- Stable and Clean Surfaces: Used beneath gravel or bark mulch applications to ensure a clean and organized surface.



Technical Specifications

Height	100 M
Product Type:	UV-Stabilized PP Ground Cover
Application Accessory:	Plastic Fixing Stake
Roll Width:	1m - 1,5m - 2m-3m-4m-5m
Weight Options:	90 / 95 / 100 GR/Sqm

AVAILABLE COLORS



LED



ABOUT US

- IP67 Superior Protection Rating: Fully protected against harsh outdoor elements, water, and dust, ensuring safe and uninterrupted illumination in all weather conditions.
- High Energy Efficiency: Delivers maximum lumen output with low power consumption, offering an eco-friendly and cost-effective lighting solution.
- Long-Lasting Chip Technology: Equipped with high-quality LED chips that prevent overheating and performance loss, providing over 50,000 hours of maintenance-free operation for years to come.



Technical Specifications

Power Consumption	4 W / 1 M
Protection Class	IP67 / IP68 (Waterproof)
Total Length	50 M (Roll)
Operating Voltage	220 - 240V

AVAILABLE COLORS




Warm White
(3000K)




Cool White
(6500K)

SPARE PARTS CONNECTORS




AREAS OF USE

- **Lawn Edging Stabilization:** Ensuring both flexible and rigid landscape edgers are securely anchored to the ground.
- **Connection and Joint Points:** Providing a robust and seamless connection for joining metal or plastic edgers together.
- **Ground Applications:** Preserving the structural integrity and alignment of garden paths, flower beds, and walkways.
- **Sloped Terrains:** Offering additional support to prevent shifting and sliding risks on inclined or uneven surfaces.
- **Landscape Arrangements:** Professional anchoring solutions designed to create aesthetic, sharp, and perfectly uniform design lines.



ABOUT US

Envaplas spare parts and connection components are engineered to maximize the longevity of your landscape projects while ensuring a flawless installation process. Our high-strength polymer anchoring stakes and corrosion-resistant galvanized steel connection plates deliver peak performance across all ground conditions. Blending robustness with aesthetics, these essential accessories are designed to be the perfect complement to our professional edging systems.



envaplas.

📍 Factory: Sanayi OSB Mah. EOSB 45. Sok. No: 8, Elazığ
Office: Göztepe Mah. Batışehir Sitesi, K3 Blok,
Bağcılar / İstanbul

📞 0532 389 14 23

📞 0424 503 81 18

✉️ info@envapeyzaj.com

🌐 www.envapeyzaj.com



Production in Türkiye

